DELAWARE STUDENT HEALTH FORM **GRADES PreK – 6**

To be completed by licensed healthcare provider:

Physician (MD or DO), Clinical Nurse Specialist (APN), Advanced Practice Nurse (APN), or Physician's Assistant (PA)

To Parent or Guardian:

In order to provide the best educational experience, school personnel must understand your child's health needs. This form requests information from you (Part I) and your health care provider (Parts I, II, and III). All students in Delaware public schools must provide documentation of current immunizations, and a current (within 2 years) physical examination upon school entry and at ninth (9th) grade.

Talk with your health care provider about important issues regarding your child, such as:

☐ School (readiness or adaptation, after school, parent-teacher communication, maturity, performance, special services)
☐ Mental and Physical Activity (healthy weight, well-balanced diet, physical activity, limited screen time)
☐ Emotional Well-Being (family time, social interactions, self-esteem, resolving conflicts, friends)
☐ Physical Growth & Development (dental care, healthy eating, puberty)
☐ Injury & Illness Prevention & Safety (seat belt or booster seat, bicycle safety, swimming, abuse protection, guns, fire safety, supervision, sunscreen, internet, infection, disaster planning)
☐ Immunizations

- Influenza (seasonal) vaccine is recommended each year for all children (6 months and up).
- Human papillomavirus vaccine (HPV) is recommended for all girls and boys (ages 11 or 12, minimum age 9) to prevent cancers, pre-cancers, and genital warts.
- Hepatitis A, Meningococcal, and Pneumococcal vaccines are recommended for certain high risk groups.

Immunization Requirements for Newly Enrolled Students at Delaware Schools

KINDERGARTEN²: DTaP / DTP: 4 or more doses.

If fourth dose was prior to the 4th birthday, a fifth dose is required.

Polio: 3 or more doses.

If third dose was prior to the 4th birthday, a fourth dose is required.

MMR³: 2 doses.

First dose should be given after the 1st birthday. Second dose should be given after the 4th birthday.

Hep B³: 3 doses.

Varicella4: 2 doses.

First dose should be given on or after the 1st birthday. Second dose should be given after the 4th birthday.

GRADES 1-6:

DTaP / DTP: 4 or more doses.

If fourth dose was prior to the 4th birthday, a fifth dose is required. Students who start the series at age 7 or older only need a total of three doses. A booster dose of Td or Tdap is recommended by the Division of Public Health for all students at age 11 or five years after the last DTap, DTP, or DT dose was administered - whichever is later.

Polio: 3 or more doses. (See above for dosage criteria)

MMR3: 2 doses. (See above for dosage criteria)

Hep B3: 3 doses.

For children 11 to 15 years old, two doses of a vaccine approved by CDC may be used.

Varicella⁴: 2 doses. (See above for dosage criteria)

¹ Based on Bright Futures: Guidelines for Health Supervision of Infants, Children and Adolescents, (3rd ed.) AAP, 2008

² Children who enter school prior to age four shall follow current Delaware Division of Public Health recommendations.

Disease histories for measles, rubella, mumps and Hepatitis B will not be accepted unless serologically confirmed.

⁴ Varicella disease history must be verified by a health care provider to be exempted from vaccination.

PART I – HEALTH HISTORY

To be completed by parent/guardian prior to exam

The healthcare provider should review and provide comments in the last column.

Child's Name:			Date:			
Gender: DOB:			Examiner:			
	PARENT		HEALTHCARE PROVIDER COMMENT			
Developmental delay (speech, ambulation, other?)	Yes	No				
Serious injury or illness?						
Medication?						
Hospitalization? When? What for?						
Surgery? (List all) When? What for?						
Ear / Hearing problems?	Yes	No				
Heart problems / Shortness of breath?	Yes	No				
Heart murmur / High blood pressure?	Yes	No				
Dizziness or chest pain with exercise?	Yes	No				
Allergies (food, insect, other)?	Yes	No				
Family history of sudden death before age 50?	Yes	No				
Child wakes during the night coughing?	Yes	No				
Diagnosis of asthma?	Yes	No				
Blood disorders (hemophilia, sickle cell, other)?	Yes	No				
Excessive weight gain or loss?	Yes	No				
Diabetes?	Yes	No				
Loss of function of one or paired organs (eye, ear, kidney, testicle)?						
Seizures?	Yes	No				
Head injuries / Concussion / Passed out?	Yes	No				
Muscle, Bone, or Joint problem / Injury / Scoliosis?	Yes	No				
ADHD / ADD?	Yes	No				
Behavior concerns?	Yes	No				
Eye / Vision concerns? ☐ Glasses ☐ Contacts ☐ Other	Yes	No				
Dental concerns? ☐ Braces ☐ Bridge ☐ Plate ☐ Other Date of Exam	Yes	No				
Other diagnoses?	Yes	No				
Does your child have health insurance?	Yes	No				
Does your child have dental insurance?	Yes	No				

PART II – IMMUNIZATIONS

Entire section below to be completed by MD/DO/APN/NP/PA

Printed VAR form may be attached in lieu of completion.

DTaP/DT	1	1	DTaP/DT	1	1	DTaP/DT	1	1	DTaP/DT	1	1	DTaP/DT	1	1
OPV/IPV	1	1	OPV/IPV	1	1	OPV/IPV	1	1	OPV/IPV	1	1	OPV/IPV	1	/
PCV7/PCV13	1	1	PCV7/PCV13	/	1	PCV7/PCV13	/	/	PCV7/PCV13	/	/	PCV7/PCV13	1	1
Hib	/	/	Hib	/	/	Hib	/	/	Hib	1	1			
MMR	1	1	MMR	1	1	НерВ/НерВ-2	1	1	НерВ/НерВ-2	1	1	Нер В	1	1
VAR	1	1	VAR	1	1	RV-2/RV-3	/	1	RV-2/RV-3	/	/	RV-3	1	1
MCV4	/	/	MCV4	/	/	HPV	/	1	HPV	1	/	HPV	I	7
НерА	/	T	НерА	/	1	Td/Tdap	1	1	Td/Tdap	/	/	Td	1	/
nfluenza	/	1	Influenza	1	1	PPSZ23	/	/	PPSV23	/	/			
Other:	/	/	Other:	/	1	Other	/	/	Other:	/	1	Other:	/	/

Entire section below to be completed by MD/DO/APN/NP/PA

General Screening	Height: W	Veight: BMI:	BMI Percentile:
Gel	BP: P	Pulse: Other:	
tal	☐ Problem Identified: Re	ferred for treatment	
Dental Screening	☐ No Problem: Referred for	prevention	al: Already receiving dental care
sis E	All new school enterers must have Ti	B test <u>or</u> TB Risk Assessment, which must be c	lone within 12 months prior to school entry.
Tuberculosis Screening	Risk Assessment - Date:	Res	ults: ☐ At Risk ☐ No Risk
berd	Mantoux Skin Test - Date	: Res	sults: MM
2 %	O41(+)-	_	11
	Other (type):	Res	sults:MM
-	Blood lead test required for children		sults:MM
Lead		age 6 months through 6 years Results:	in the state of th
Lead	Blood lead test required for children	age 6 months through 6 years	
Lead	Blood lead test required for children	age 6 months through 6 years Results: Vision	<u>Other</u>
Lead	Blood lead test required for children Date:	age 6 months through 6 years Results: Vision Type:	Other Type:
Lead	Blood lead test required for children Date: Hearing Type:	age 6 months through 6 years Results: Vision Type: Date:	<u>Other</u> Type: Date:
-	Blood lead test required for children Date: Hearing Type: Date:	age 6 months through 6 years Results: Vision Type: Date:	<u>Other</u> Type: Date:

PART IV - COMPREHENSIVE EXAM

PHYSICAL		Check (✓)					
EXAMINATION	Normal	Abnormal	Referral	HEALTHCAF	RE PROVIDE	R COMMEN	IT
General Appearance							
Skin							
Eyes							
Ears							
Nose/Throat							
Mouth/Dental							
Cardiovascular							
Respiratory							
Γhyroid							
Gastrointestinal							
Genitourinary							
Neurological							
Musculoskeletal							
Spinal examination							
Nutritional status							
Mental health status							
	se provide the	parent with in		nd/or emergency o cial Needs Alert Prog		EMS.	
Recommendations			-,				
Recommendations o							
Recommendations o	DIAG				NCY PLAN	CARE PL PRESCR PLAN AT	IPTION
Recommendations						PRESCR	IPTION TACHE
Recommendations				ATTA	CHED	PRESCR PLAN AT	IPTION
Recommendations				ATTA	CHED	PRESCR PLAN AT	IPTION TACHE
Recommendations				ATTA	CHED	PRESCR PLAN AT	IPTION TACHE
Recommendations				ATTA	CHED	PRESCR PLAN AT	IPTION TACHE

Address:

Phone:_